

# MIRRORSTONE™

INFRARED HEATING



## PRODUCT DATA SHEET

### 2021



## White IR Panel

Our Classic White IR Heating Panels are incredibly flexible and versatile. They're suited for both domestic and commercial installations, and can be used in diverse locations, ranging from bathroom walls to office ceilings. Wonderfully adaptable, they're available in three stylish frame options to suit any style of décor.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Frame</b>	White/Silver/Black
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling/Floor
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV ERP/TÜV GS/ROHS
<b>Material</b>	Aluminium
<b>IP Rating</b>	IP54




Available Sizes	Rated Power	Amps	Heated Area
600mm x 300mm	180W	0.78A	3-5m <sup>2</sup>
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 995mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>
795mm x 1195mm	900W	3.91A	13-22m <sup>2</sup>
995mm x 1195mm	1200W	5.22A	17-29m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Frameless IR Panel

Sleek and stylish, our White Frameless Infrared Heating Panels are wonderfully discreet and perfect for installation in diverse locations. From bedrooms at home to commercial office spaces where certain sizes can be used in suspended grid ceilings, they're truly as versatile as they are warm.

<b>Surface Temperature</b>	110°C
<b>Voltage</b>	230V
<b>Frame</b>	No Frame
<b>Options</b>	Round Option Available
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling/Floor
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV GS/ROHS
<b>Material</b>	Powder Coated Aluminium
<b>IP Rating</b>	IP54




Available Sizes	Rated Power	Amps	Heated Area
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
600mm x 1000mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>
600mm Diameter	280W	1.22A	3-5m <sup>2</sup>
800mm Diameter	500W	2.17A	6-9m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Image IR Panel

We have a massive and ever-expanding range of over 250 Image Panels available, allowing users to choose one that reflects their personality. There are many different image types in categories including Art, City Scapes, Landscapes and Animals.

Installing an Image IR Heating Panel is just like putting up a picture in a bedroom or living room, and there are also three great frame finishes to choose from to match the room's colour scheme.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Frame</b>	White/Silver/Black
<b>Cable</b>	1.7m
<b>Installation</b>	Wall
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV ERP/TÜV GS/ROHS
<b>Material</b>	Aluminium
<b>IP Rating</b>	IP54




Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 995mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>
795mm x 1195mm	900W	3.91A	13-22m <sup>2</sup>
995mm x 1195mm	1200W	5.22A	17-29m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.

UP TO  
**5**  
YEARS  
WARRANTY  
★★★★★



## Custom IR Panel

There are an infinite number of possibilities and they're only limited by the imagination with our Custom Printed IR Heating Panels. They'll fit into literally any room because we can print any image onto the panel. Why not have a lovely family portrait in the living room, and a cherished holiday snap in the bedroom? With three superb frame finishes to choose from, there's no type of décor these panels wouldn't co-ordinate with!

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Frame</b>	White/Silver/Black
<b>Cable</b>	1.7m
<b>Installation</b>	Wall
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV ERP/TÜV GS/ROHS
<b>Material</b>	Aluminium
<b>IP Rating</b>	IP54




Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 995mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>
795mm x 1195mm	900W	3.91A	13-22m <sup>2</sup>
995mm x 1195mm	1200W	5.22A	17-29m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



UP TO  
**5**  
YEARS  
WARRANTY  
★★★★★

## NXTGen IR Panel

Our Classic White IR Heating Panels are incredibly flexible and versatile. They're suited for both domestic and commercial installations, and can be used in diverse locations, ranging from bathroom walls to office ceilings. Wonderfully adaptable, they're available in three stylish frame options to suit any style of décor.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Frame</b>	White/Silver/Black
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling/Floor
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV ERP/TÜV GS/ROHS
<b>Material</b>	Aluminium
<b>IP Rating</b>	IP54



Available Sizes	Rated Power	Amps	Heated Area
600mm x 300mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
600mm x 1000mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>
800mm x 1200mm	900W	3.91A	13-22m <sup>2</sup>
1000mm x 1200mm	1200W	5.22A	17-29m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Solis Wifi IR Panel

The Solis range of Wi-Fi panels are incredibly innovative and can be easily paired to your smartphone to control with an app. This means you can control your heating even when you are not at home. Available in plain white and multiple sizes, you can use these sleek panels on the walls or ceilings of any environment.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Frame</b>	White/Silver/Black
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling/Floor
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV ERP/TÜV GS/ROHS
<b>Material</b>	Aluminium
<b>WiFi Band</b>	2.4Ghz
<b>IP Rating</b>	IP54



Available Sizes	Rated Power	Amps	Heated Area
595mm x 595mm	350W	1.52A	4-7m <sup>2</sup>
595mm x 995mm	580W	2.52A	7-12m <sup>2</sup>
595mm x 1195mm	700W	3.04A	11-18m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Milano Mirror IR Panel

Ultra innovative, our round and rectangular Mirrored Infrared Heating Panels will be indistinguishable from regular mirrors in all but one respect – they don't steam up! This makes them perfect for bathrooms, conservatories, and even Jacuzzi rooms!

<b>Surface Temperature</b>	120°C
<b>Voltage</b>	230V
<b>Style</b>	Round/Rectangular
<b>Cable</b>	1.7m
<b>Installation</b>	Wall
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV/ROHS/SAA
<b>Material</b>	Glass
<b>IP Rating</b>	IP65



Available Sizes	Rated Power	Amps	Heated Area
600mm x 600mm	320W	1.3A	4-5m <sup>2</sup>
600mm x 800mm	450W	1.96A	7-8m <sup>2</sup>
600mm x 800mm	580W	2.52A	9-12m <sup>2</sup>
600mm x 1200mm	700W	3A	13-15m <sup>2</sup>
850mm Diameter	360W	1.57A	5-6m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.





## Edge-Lit Mirror IR Panel

Our Mirror IR Panel Heaters With LED Backlights are perfect for a modern space. A lovely choice for any domestic and commercial settings, these are suitable for bathroom or bedroom walls. Protected against splashes of water with an IP65 rating, these mirrors are fit with hidden LEDs for a beautiful glow and available in two sizes.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Style</b>	Round/Rectangular
<b>Cable</b>	1.7m
<b>Installation</b>	Wall
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV/ROHS/SAA
<b>Material</b>	Glass
<b>IP Rating</b>	IP65



Available Sizes	Rated Power	Amps	Heated Area
600mm x 1000mm	580W	2.52A	9-12m <sup>2</sup>
600mm x 1200mm	700W	3.04A	13-15m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Quartz Glass IR Panel

Available in stylish black or white, these Glass Infrared Panel Heaters will look amazing when installed on a bedroom wall, and even on the ceiling of a modern office space, where they'll co-ordinate superbly with any type of minimalist décor.

<b>Surface Temperature</b>	115°C
<b>Voltage</b>	230V
<b>Colour</b>	Black/White
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/TÜV/ROHS/SAA
<b>Material</b>	Glass
<b>IP Rating</b>	IP54



Available Sizes	Rated Power	Amps	Heated Area
600mm x 800mm	450W	1.96A	5-8m <sup>2</sup>
600mm x 1000mm	580W	2.5A	9-12m <sup>2</sup>
600mm x 1200mm	700W	3A	13-15m <sup>2</sup>

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Helios IR Bar Heater

Heat warehouses, shop spaces, offices or even garden areas with one of our Infrared Bar Heaters. Stylish, compact and energy-efficient, they're available in different wattages to heat large spaces. Some even come with Wi-Fi compatibility to enable you to use your smartphone or tablet as remote controllers.

<b>Surface Temperature</b>	200-300°C
<b>Voltage</b>	230V
<b>Options</b>	Standard/WiFi
<b>Cable</b>	1.7m
<b>Installation</b>	Wall/Ceiling
<b>Warranty</b>	2 Years (Standard)
<b>Certification</b>	CE/ROHS
<b>WiFi Band</b>	2.4Ghz
<b>Colour</b>	Black
<b>IP Rating</b>	IP54

200-300°C  
230V  
Standard/WiFi  
1.7m  
Wall/Ceiling  
2 Years (Standard)  
CE/ROHS  
2.4Ghz  
Black  
IP54



Available Sizes	Rated Power	Amps	Heated Area	Wi-Fi	Remote	Weight
900 x 150 x 63mm	1200W	5.22A	15-18m <sup>2</sup>	No	No	4kg
1200 x 150 x 63mm	1800W	7.83A	24-28m <sup>2</sup>	No	No	6kg
1500 x 150 x 63mm	2400W	10.43A	33-38m <sup>2</sup>	No	No	8kg
1900 x 150 x 63mm	3000W	13.04A	42-50m <sup>2</sup>	No	No	10kg
900 x 150 x 63mm	1200W	5.22A	15-18m <sup>2</sup>	Yes	Yes	4kg
1200 x 150 x 63mm	1800W	7.83A	24-28m <sup>2</sup>	Yes	Yes	6kg
1500 x 150 x 63mm	2400W	10.43A	33-38m <sup>2</sup>	Yes	Yes	8kg
1900 x 150 x 63mm	3000W	13.04A	42-50m <sup>2</sup>	Yes	Yes	10kg

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.






The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



## Aurora IR Bar Heater

Using Near Infrared technology, the Aurora Bar Heaters are available with or without remote controls. Built with Carbon Fibre and sturdy Aluminium, they are a great option for outdoor environments for a larger scope of space to be heated. Technologically advanced, there are also Wi-Fi options to pair to your smart-phone.

<b>Surface Temperature</b>	200-300°C	
<b>Voltage</b>	230V	
<b>Options</b>	Standard/WiFi	
<b>Cable</b>	1.7m	
<b>Installation</b>	Wall/Ceiling	
<b>Warranty</b>	2 Years (Standard)	
<b>Certification</b>	CE/ROHS	
<b>WiFi Band</b>	2.4Ghz	
<b>Colour</b>	Black	
<b>IP Rating</b>	IP65	   

Available Sizes	Rated Power	Amps	Heated Area	Wi-Fi	Remote	Weight
862 x 345 x 272mm	1200W	5.22A	15-18m <sup>2</sup>	No	No	2.6kg
980 x 345 x 272mm	2400W	10.43A	33-38m <sup>2</sup>	No	No	3.2kg
862 x 345 x 272mm	1200W	4.34A	15-18m <sup>2</sup>	Yes	Yes	2.6kg
980 x 345 x 272mm	2400W	10.43A	33-38m <sup>2</sup>	Yes	Yes	3.2kg

\*The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.