



# Attestation of Compliance

Reference No. : LCS201210101AS

Applicant : [REDACTED]

Address : [REDACTED]

Product : Radiant Heater

Model(s) : See annex

Parameters : 220-240V~, 50/60Hz, Class I, Details see annex

The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:

The LVD Directive 2014/35/EU

EN 60335-2-30:2009 + A11: 2012+A1:2020;

EN 62233: 2008

EN 60335-1:2012+A11: 2014+ A13: 2017+A1: 2019+A2: 2019+A14: 2019;

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.

Manager

Date of issue: January 19, 2021



扫码查询真伪  
Scan, Query authenticity

1 / 5

## ANNEX I:



Reference No.: LCS201210101AS

## Annex

|            | Model     | Input                          | Power | Sizes           | Control method     | Circuit board |
|------------|-----------|--------------------------------|-------|-----------------|--------------------|---------------|
| THA series | THA-10J   | 220-240V~,<br>50/60Hz,<br>IP44 | 1000W | 683*285*<br>55  | Mechanical control | No            |
|            | THA-15J   | 220-240V~,<br>50/60Hz,<br>IP44 | 1500W | 897*285*<br>55  | Mechanical control | No            |
|            | THA-22J   | 220-240V~,<br>50/60Hz,<br>IP44 | 2200W | 897*285*<br>55  | Mechanical control | No            |
|            | THA-32J   | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W | 897*320*<br>55  | Mechanical control | No            |
| THB series | THB-15J   | 220-240V~,<br>50/60Hz,<br>IP44 | 1500W | 778*310*<br>65  | Mechanical control | No            |
|            | THB-22J   | 220-240V~,<br>50/60Hz,<br>IP44 | 2200W | 978*310*<br>65  | Mechanical control | No            |
|            | THB-32J   | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W | 1298*310*<br>65 | Mechanical control | No            |
|            | THB-15D   | 220-240V~,<br>50/60Hz,<br>IP44 | 1500W | 778*310*<br>65  | Electronic control | Yes           |
|            | THB-22D   | 220-240V~,<br>50/60Hz,<br>IP44 | 2200W | 978*310*<br>65  | Electronic control | Yes           |
|            | THB-32D   | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W | 1298*310*<br>65 | Electronic control | Yes           |
|            | THB-15DWA | 220-240V~,<br>50/60Hz,<br>IP44 | 1500W | 778*310*<br>65  | Electronic control | Yes           |
|            | THB-22DWA | 220-240V~,<br>50/60Hz,<br>IP44 | 2200W | 978*310*<br>65  | Electronic control | Yes           |
|            | THB-32DWA | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W | 1298*310*<br>65 | Electronic control | Yes           |
| THC series | THC-12J   | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W | 940*150*<br>65  | Mechanical control | No            |
|            | THC-18J   | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W | 1240*150*<br>65 | Mechanical control | No            |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,  
 Bao'an District, Shenzhen, Guangdong, China  
 Tel: (86)0755-82591330 Fax: (86)0755-82591332  
 Http://www.lcs-cert.com Email: webmaster@lcs-cert.com

扫码查询真伪  
Scan, Query authenticity

## ANNEX I:



|              |                                |                |                 |                       |     |
|--------------|--------------------------------|----------------|-----------------|-----------------------|-----|
| THC-24J(a)   | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W | 1540*150<br>*65 | Mechanical<br>control | No  |
| THC-24J      | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W          | 1540*150<br>*65 | Mechanical<br>control | No  |
| THC-30J      | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W          | 1840*150<br>*65 | Mechanical<br>control | No  |
| THC-12J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W          | 755*150*<br>65  | Mechanical<br>control | No  |
| THC-18J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W          | 1055*150<br>*65 | Mechanical<br>control | No  |
| THC-24J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W          | 1355*150<br>*65 | Mechanical<br>control | No  |
| THC-30J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W          | 1655*150<br>*65 | Mechanical<br>control | No  |
| THC-12D      | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W          | 940*150*<br>65  | Electronic<br>control | Yes |
| THC-18D      | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W          | 1240*150<br>*65 | Electronic<br>control | Yes |
| THC-24D(a)   | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W | 1540*150<br>*65 | Electronic<br>control | Yes |
| THC-24D      | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W          | 1540*150<br>*65 | Electronic<br>control | Yes |
| THC-30D      | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W          | 1840*150<br>*65 | Electronic<br>control | Yes |
| THC-12DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W          | 940*150*<br>65  | Electronic<br>control | Yes |
| THC-18DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W          | 1240*150<br>*65 | Electronic<br>control | Yes |
| THC-24DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W          | 1540*150<br>*65 | Electronic<br>control | Yes |
| THC-24DWA(a) | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W | 1540*150<br>*65 | Electronic<br>control | Yes |



ANNEX I:



|            |            |                                |                                |                 |                    |                    |
|------------|------------|--------------------------------|--------------------------------|-----------------|--------------------|--------------------|
|            | THC-30DWA  | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W                          | 1840*150<br>*65 | Electronic control | Yes                |
| THE series | THE-12J    | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W                          | 940*150*<br>65  | Mechanical control | No                 |
|            | THE-18J    | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W                          | 1240*150<br>*65 | Mechanical control | No                 |
|            | THE-24J(a) | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W                 | 1540*150<br>*65 | Mechanical control | No                 |
|            | THE-24J    | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W                          | 1540*150<br>*65 | Mechanical control | No                 |
|            | THE-30J    | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W                          | 1840*150<br>*65 | Mechanical control | No                 |
|            | THE-12J1   | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W                          | 755*150*<br>65  | Mechanical control | No                 |
|            | THE-18J1   | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W                          | 1055*150<br>*65 | Mechanical control | No                 |
|            | THE-24J1   | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W                          | 1355*150<br>*65 | Mechanical control | No                 |
|            | THE-30J1   | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W                          | 1655*150<br>*65 | Mechanical control | No                 |
|            | THE-12D    | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W                          | 940*150*<br>65  | Electronic control | Yes                |
|            | THE-18D    | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W                          | 1240*150<br>*65 | Electronic control | Yes                |
|            | THE-24D(a) | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W                 | 1540*150<br>*65 | Electronic control | Yes                |
|            |            | THE-24D                        | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W           | 1540*150<br>*65    | Electronic control |
|            | THE-30D    | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W                          | 1840*150<br>*65 | Electronic control | Yes                |
|            | THE-12DWA  | 220-240V~,<br>50/60Hz,<br>IP44 | 1200W                          | 940*150*<br>65  | Electronic control | Yes                |



扫码查询真伪  
Scan, Query authenticity  
4 / 5

ANNEX I:



|               |              |                                |                |                 |                       |     |
|---------------|--------------|--------------------------------|----------------|-----------------|-----------------------|-----|
|               | THE-18DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 1800W          | 1240*150<br>*65 | Electronic<br>control | Yes |
|               | THE-24DWA(a) | 220-240V~,<br>50/60Hz,<br>IP44 | 2000-<br>2400W | 1540*150<br>*65 | Electronic<br>control | Yes |
|               | THE-24DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 2400W          | 1540*150<br>*65 | Electronic<br>control | Yes |
|               | THE-30DWA    | 220-240V~,<br>50/60Hz,<br>IP44 | 3000W          | 1840*150<br>*65 | Electronic<br>control | Yes |
| THG<br>series | THG-20J      | 220-240V~,<br>50/60Hz,<br>IP44 | 2000W          | 1240*200<br>*50 | Mechanical<br>control | No  |
|               | THG-26J      | 220-240V~,<br>50/60Hz,<br>IP44 | 2600W          | 1540*200<br>*50 | Mechanical<br>control | No  |
|               | THG-32J      | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W          | 1840*200<br>*50 | Mechanical<br>control | No  |
|               | THG-20J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 2000W          | 1055*200<br>*50 | Mechanical<br>control | No  |
|               | THG-26J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 2600W          | 1355*200<br>*50 | Mechanical<br>control | No  |
|               | THG-32J1     | 220-240V~,<br>50/60Hz,<br>IP44 | 3200W          | 1655*200<br>*50 | Mechanical<br>control | No  |

