



Attestation of Compliance

Reference No. : LCS210125083AS

Applicant : [REDACTED]

Address : [REDACTED]

Product : Radiant Heater

Model(s) : See model list

Parameters : 220-240V~, 50/60Hz, Class I, Details see model list

Tested according to : EN 60335-2-30:2009 + A11: 2012+A1:2020;
EN 60335-1:2012+A11: 2014+ A13: 2017+A1: 2019+A2: 2019+A14: 2019;
EN 62233:2008

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the council Directive 2014/35/EU, Referred to as the Low Voltage Directive. It confirms that the listed product complies with all essential requirements of the LVD Directive and applies only to the sample and its technical documentation submitted to Shenzhen LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.

CE



Date of issue: March 16, 2021



Model list:



Series	Product Image	Model	Sizes	Rated parameters	Control method
THB		THB-15DW	778*310*65	220-240V 50/60Hz 1500W	Electronic control+WIFI
		THB-22DW	978*310*65	220-240V 50/60Hz 2200W	Electronic control+WIFI
		THB-32DW	1298*310*65	220-240V 50/60Hz 3200W	Electronic control+WIFI
		THB-15DS	778*310*65	220-240V 50/60Hz 1500W	Electronic control
		THB-22DS	978*310*65	220-240V 50/60Hz 2200W	Electronic control
		THB-32DS	1298*340*65	220-240V 50/60Hz 3200W	Electronic control
THC		THC-12DW	940*150*65	220-240V 50/60Hz 1200W	Electronic control+WIFI
		THC-18DW	1240*150*65	220-240V 50/60Hz 1800W	Electronic control+WIFI
		THC-24DW(a)	1540*150*65	220-240V 50/60Hz 2000-2400W	Electronic control+WIFI
		THC-24DW	1540*150*65	220-240V 50/60Hz 2400W	Electronic control+WIFI
		THC-30DW	1840*150*65	220-240V 50/60Hz 3000W	Electronic control+WIFI
		THC-12DS	940*150*65	220-240V 50/60Hz 1200W	Electronic control
		THC-18DS	1240*150*65	220-240V 50/60Hz 1800W	Electronic control
		THC-24DS(a)	1540*150*65	220-240V 50/60Hz 2000-2400W	Electronic control
		THC-24DS	1540*150*65	220-240V 50/60Hz 2400W	Electronic control
		THC-30DS	1840*150*65	220-240V 50/60Hz 3000W	Electronic control
THE		THE-12DW	940*150*65	220-240V 50/60Hz 1200W	Electronic control+WIFI
		THE-18DW	1240*150*65	220-240V 50/60Hz 1800W	Electronic control+WIFI
		THE-24DW(a)	1540*150*65	220-240V 50/60Hz 2000-2400W	Electronic control+WIFI
		THE-24DW	1540*150*65	220-240V 50/60Hz 2400W	Electronic control+WIFI
		THE-30DW	1840*150*65	220-240V 50/60Hz 3000W	Electronic control+WIFI
		THE-12DS	940*150*65	220-240V 50/60Hz 1200W	Electronic control
		THE-18DS	1240*150*65	220-240V 50/60Hz 1800W	Electronic control
		THE-24DS(a)	1540*150*65	220-240V 50/60Hz 2000-2400W	Electronic control
		THE-24DS	1540*150*65	220-240V 50/60Hz 2400W	Electronic control
		THE-30DS	1840*150*65	220-240V 50/60Hz 3000W	Electronic control
		THE-12DSA	940*150*65	220-240V 50/60Hz 1200W	Electronic control
		THE-18DSA	1240*150*65	220-240V 50/60Hz 1800W	Electronic control
		THE-24DSA	1540*150*65	220-240V 50/60Hz 2400W	Electronic control
		THE-30DSA	1840*150*65	220-240V 50/60Hz 3000W	Electronic control
THE-24DSA(a)	1540*150*65	220-240V 50/60Hz 2000-2400W	Electronic control		





THG		THG-20DW	1240*200*50	220-240V 50/60Hz 2000W	Electronic control+WIFI
		THG-26DW	1540*200*50	220-240V 50/60Hz 2600W	Electronic control+WIFI
		THG-32DW	1840*200*50	220-240V 50/60Hz 3200W	Electronic control+WIFI
		THG-20DS	1240*200*50	220-240V 50/60Hz 2000W	Electronic control
		THG-26DS	1540*200*50	220-240V 50/60Hz 2600W	Electronic control
		THG-32DS	1840*200*50	220-240V 50/60Hz 3200W	Electronic control
		THG-20DW-A	1240*200*50	220-240V 50/60Hz 2000W	Electronic control+WIFI
		THG-26DW-A	1540*200*50	220-240V 50/60Hz 2600W	Electronic control+WIFI
		THG-32DW-A	1840*200*50	220-240V 50/60Hz 3200W	Electronic control+WIFI
		THG-20DS-A	1240*200*50	220-240V 50/60Hz 2000W	Electronic control
		THG-26DS-A	1540*200*50	220-240V 50/60Hz 2600W	Electronic control
		THG-32DS-A	1840*200*50	220-240V 50/60Hz 3200W	Electronic control
THI		THI-12DW	940*180*65	220-240V 50/60Hz 1200W	Electronic control+WIFI
		THI-18DW	1240*180*65	220-240V 50/60Hz 1800W	Electronic control+WIFI
		THI-24DW(a)	1540*180*65	220-240V 50/60Hz 2000-2400W	Electronic control+WIFI
		THI-24DW	1540*180*65	220-240V 50/60Hz 2400W	Electronic control+WIFI
		THI-30DW	1840*180*65	220-240V 50/60Hz 3000W	Electronic control+WIFI
		THI-12DS	940*180*65	220-240V 50/60Hz 1200W	Electronic control
		THI-18DS	1240*180*65	220-240V 50/60Hz 1800W	Electronic control
		THI-24DS(a)	1540*180*65	220-240V 50/60Hz 2000-2400W	Electronic control
		THI-24DS	1540*180*65	220-240V 50/60Hz 2400W	Electronic control
		THI-30DS	1840*180*65	220-240V 50/60Hz 3000W	Electronic control

